## caregiver

## Job Description

**Description**: This person provides home care services to a client in the client's personal residence. Caregivers provide non-medical services and assist with activities of daily living. Services can include, but are not limited to, housekeeping, shopping, cooking and meal preparation, laundry, personal care and companionship.

**Qualifications:** Previous caregiving experience is preferred but not required. CPR certification is required for all caregivers within 30 days of employment. Candidates must be dependable, friendly and able to adapt to different situations. Candidates should have excellent attention to detail and be able to work independently. Must be friendly, dependable, caring and get along well with others. Background check required for all employees. Must be able to be bonded and Insured.

#### Reports to: Staffing Manager

#### **Primary Responsibilities:**

- 1. Provide assistance that is not medical in nature, but is based upon assisting the client in meeting the demands of living independently and maintaining a personal residence, such as companionship, cleaning, laundry, shopping, meal preparation, dressing and bathing assistance.
- 2. Services will be provided in accordance with the policies and procedures of Assisting Hands and the service arrangements determined in the contract.
- 3. Report changes and observations of client functioning to the Referral Coordinator
- 4. Complete all appropriate record documentation.

### A successful Caregiver will ensure:

- 1. The client is well groomed and personal care is provided appropriately
- 2. There are no safety concerns
- 3. Proper lifting is used to ensure caregiver and client safety
- 4. Caregiver is communicating with family, client and Assisting Hands Staff frequently and appropriately
- 5. Level of services being provided is excellent according to client, family and Assisting Hands Staff
- 6. Policies and procedures are being followed by the caregiver
- 7. Schedule is adhered to and caregiver is on time.
- 8. Caregiver appearance is appropriate

Hours: Varied. Part Time, Full Time, Days, Nights, Weekends and Holidays

Position is hourly rate.

# **Home Service Workers tasks and limitations**

	Services that can be provided	Services that cannot be provided
Skin Care	General skin care assistance. Skin is unbroken and chronic skin problems are not active. Care must be preventative.	Therapeutic care. Application of medicated lotions or solutions or lotions or solutions that require a physician's prescription. Wound care, dressing changes, application of prescription medications, skilled observation and reporting.
Ambulation	May assist with ambulation.	Clients in the process of being trained to use adaptive equipment (walkers, canes or wheelchairs).
Bathing Assistance	May assist with bathing. If the client is unable to be bathed in a tub or shower than, the client or client representative must be able to participate or direct the bathing process and provide ongoing feedback to the caregiver.	Client has skilled skin care needs or skilled dressings that need attention before, during or after bathing.
Dressing	Assistance with ordinary clothing and application of support stockings of the type that can be purchased without a prescription.	Cannot assist with application of an Ace bandage or sequential compression device that can only be purchased with a prescription.
Exercise	May assist with passive exercise. Limited to the encouragement of normal bodily movement and to encouragement with a prescribed exercise program.	Passive range of motion exercises.
Feeding	May provide assistance with feeding when the client can independently swallow and be positioned upright.	Syringe, tube feedings and intravenous nutrition. The client is at high risk for choking as a result of the feeding.
Hair Care	Shampooing with non- medicated shampoo or shampoo that does not require a physician's prescription, drying, combing and styling hair.	Shampooing with a medicated shampoo or shampoo that requires a prescription.
Mouth Care	Denture care and basic oral	Mouth care for clients who are

	hygiene, including oral suctioning for mouth care.	unconscious.
Nail Care	Soaking nails, pushing back cuticles without utensils and filing of nails.	Nail trimming. Clients with a medical condition that might involve peripheral circulatory problems or loss of sensation.
Positioning	Client is able to identify to the staff either verbally, nonverbally or through others, when the position needs to be changed. Skilled skin care is not required in conjunction with the positioning. Simple alignment in bed, wheelchair or other furniture.	Skilled skin care is required with positioning. Client is unable to identify when positions needs to be changed.
Shaving	Can assist with shaving if using an electric or safety razor.	If not using an electric or safety razor.
Toileting	Assist to and from the bathroom; provide assistance with bed pans; urinals, and commodes; provide pericare; or change clothing and pads of any kind used for incontinence.  May empty or change external urine collection devices, such as catheter bags or subrapubic catheter bags.  May empty ostomy bags and provide assistance with other client-directed ostomy care.	Insertion and removal of catheters and care of external catheters.  If there is a need for skilled skin care or for observation or reporting to a nurse. Digital stimulation, insert suppositories or give an enema.
Transfers	Assist with transfers when the client has sufficient balance and strength to reliably stand and pivot and assist with the transfer to some extent.  Adaptive equipment may be used if the client is fully trained in the use of the equipment and can direct the transfer step by step.  Gait belts may be used by the worker as long as the worker has been properly trained in their use.  Can assist clients with the use of mechanical or electrical transfer	When the client is unable to assist with the transfer.

has been trained in the use of the device, the client is able to direct the transfer and the agency has conducted a competency evaluation of the worker.  Medication Reminders  Medications have been preselected by the client, a family member, a nurse, or a pharmacist and are stored in containers other than the prescription bottles.  Medications have been preselected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Medications have been preselected on the prescription bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  Medications have been preselected to container so ther than the prescription bottles.  Medication have been than the prescription bottles.  Medication bottles.  Medication to client. Perform or provide medication setup.  The provide medication setup.  The provide medication setup.  The provide medication setup.  The provide medication to client. Perform or provide medication setup.  The provide medication setup.  The provide medication setup.  The provide medication or provi			
direct the transfer and the agency has conducted a competency evaluation of the worker.  Medication Reminders  Medications have been preselected by the client, a family member, a nurse, or a pharmacist and are stored in containers other than the prescription bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medication minder container to the client; opening the appropriately marked medication minder container for the client; opening the appropriately marked medication minder container.  Respiratory care  Medications have been preselected pharmacist and are stored in containers and hand medication to client. Perform or provide medication setup.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Provide respiratory care.  Respiratory care is skilled and		devices only when the worker has been trained in the use of	
agency has conducted a competency evaluation of the worker.  Medication Reminders  Medications have been preselected by the client, a family member, a nurse, or a pharmacist and are stored in containers other than the prescription bottles.  Medication minder containers or provide medication setup.  Medication minder containers and hand medication to client. Perform or provide medication setup.  Medication minder containers or provide medication setup.  Medication bottles.  Medication minder containers or provide medication setup.  Medication bottles.  Medication to client. Perform or provide medication setup.  The prescription bottles.  Medication bottles.  Medication shave been preselected in containers or provide medication setup.  The provide medication setup.  Medication minder containers or provide medication setup.  The provide medi		the device, the client is able to	
medication Reminders  **Worker must immediately report to supervisor, the client or the client's advocate or designee of any irregularities noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Respiratory care  Medications have been pre-selected by the client, a family member, a nurse, or a pharmacist and are stored in containers other than the prescription bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Provide respiratory care. Respiratory care is skilled and		direct the transfer and the	
Medication Reminders  **Worker must immediately report to supervisor, the client or the client's advocate or designee of any irregularities noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Medications have been pre-selected medications and are stored in containers other than the prescription bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Respiratory care  Medications have been pre-selected by the client, a family medication to client. Perform or provide medication setup.  Fill medication minder containers on provide medication to client. Perform or provide medication setup.  To provide medication setup.  To provide medication to client. Perform or provide medication setup.  To provide medication to client. Perform or provide medication setup.  To provide medication to client. Perform or provide medication setup.  To provide medication setup.  To provide medication to client. Perform or provide medication setup.  To provide medication to client. Perform or provide medication setup.  To provide medication to client. Perform or provide medication setup.  To provide medication to client. Perform or provide medication setup.		agency has conducted a	
Medication RemindersMedications have been preselected by the client, a family member, a nurse, or a pharmacist and are stored in containers other than the prescription bottles.Fill medication minder containers and hand medication to client. Perform or provide medication setup.noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.Respiratory careUnable to provide respiratory care is skilled andProvide respiratory care is skilled and		competency evaluation of the	
**Worker must immediately report to supervisor, the client or the client's advocate or designee of any irregularities noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Respiratory care  selected by the client, a family member, a nurse, or a pharmacist and are stored in containers other than the prescription bottles.  Medication bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Unable to provide respiratory care is skilled and		worker.	
**Worker must immediately report to supervisor, the client or the client's advocate or designee of any irregularities noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  **Worker must immediately report to supervisor, the client or pharmacist and are stored in containers other than the prescription bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  member, a nurse, or a pharmacist and are stored in container stored in containers of provide medication setup.  Medication bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Provide respiratory care.  Respiratory care is skilled and	Medication Reminders	Medications have been pre-	Fill medication minder
report to supervisor, the client or the client's advocate or designee of any irregularities noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  pharmacist and are stored in containers stored in containers stored in containers other than the prescription bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Respiratory care  Unable to provide respiratory care. Respiratory care is skilled and		selected by the client, a family	containers and hand
or the client's advocate or designee of any irregularities noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Respiratory care  containers other than the prescription bottles.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Unable to provide respiratory care.  Respiratory care container is skilled and	**Worker must immediately	member, a nurse, or a	medication to client. Perform
designee of any irregularities noted in the pre-selected medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  Provide respiratory care. Respiratory care is skilled and	report to supervisor, the client	pharmacist and are stored in	or provide medication setup.
medications. Such as shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Medication minder containers shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  Medication minder containers been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Unable to open the container.  Provide respiratory care. Respiratory care is skilled and	or the client's advocate or	containers other than the	
medications. Such as medications taken too often or not enough, or not at the correct times as identified by the written instructions.  Shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  Shall be clearly marked as to day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Provide respiratory care. Respiratory care is skilled and	designee of any irregularities	prescription bottles.	
medications taken too often or not enough, or not at the correct times as identified by the written instructions.  day and time of dosage. Can inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  Unable to provide respiratory care.  Respiratory care is skilled and	noted in the pre-selected	Medication minder containers	
not enough, or not at the correct times as identified by the written instructions.  the written instructions.  the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  inquire if medications have been taken; verbal prompting to take medications; handing the appropriately marked medication minder container for the client if the client if unable to open the container.  Provide respiratory care.  Respiratory care is skilled and	medications. Such as	shall be clearly marked as to	
correct times as identified by the written instructions.  been taken; verbal prompting to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  Unable to provide respiratory care is skilled and	medications taken too often or	day and time of dosage. Can	
to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care Unable to provide respiratory care. Can remove and replace a  to take medications; handing the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container.  Provide respiratory care. Respiratory care is skilled and	not enough, or not at the	inquire if medications have	
the appropriately marked medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care Unable to provide respiratory care. Can remove and replace a Respiratory care is skilled and	correct times as identified by	been taken; verbal prompting	
medication minder container to the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care  Unable to provide respiratory care. Respiratory care is skilled and	the written instructions.	to take medications; handing	
the client; opening the appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care Unable to provide respiratory care. Can remove and replace a Respiratory care is skilled and		the appropriately marked	
appropriately marked medication minder container for the client if the client if unable to open the container.  Respiratory care Unable to provide respiratory care. Can remove and replace a Respiratory care is skilled and		medication minder container to	
medication minder container for the client if the client if unable to open the container.  Respiratory care Unable to provide respiratory care. Can remove and replace a Respiratory care is skilled and		the client; opening the	
for the client if the client if unable to open the container.  Respiratory care  Unable to provide respiratory care. Can remove and replace a  Respiratory care is skilled and		appropriately marked	
unable to open the container.  Respiratory care  Unable to provide respiratory care. Can remove and replace a  Respiratory care is skilled and		medication minder container	
Respiratory care  Unable to provide respiratory care. Provide respiratory care. Respiratory care is skilled and		for the client if the client if	
care. Can remove and replace a Respiratory care is skilled and		unable to open the container.	
	Respiratory care	Unable to provide respiratory	Provide respiratory care.
cannula or mask from the includes nostural drainage		care. Can remove and replace a	Respiratory care is skilled and
camilia of mask from the microacs postard dramage,		cannula or mask from the	includes postural drainage,
clients face for the purpose of cupping, adjusting, oxygen flow		clients face for the purpose of	cupping, adjusting, oxygen flow
shaving or washing face and within established parameters,		shaving or washing face and	within established parameters,
may provide oral suctioning. nasal, endotracheal and		may provide oral suctioning.	nasal, endotracheal and
tracheal suctioning and turning			tracheal suctioning and turning
off or changing tanks.			off or changing tanks.